

.100" (2.54mm) Single Row Right Angle Header

25411J1-N Series


Right Angle Header

- 2 ~ 40 circuits available
- Insulator: Polyester, UL 94V-0
- Contact: Brass
- Gold flash plated over nickel
- .025" (0.64mm) square pin
- Various pin lengths available

Dimensional Information (mm)

Part No.	Dim. A	Dim. B
25411J1-N	2.54 x (N - 1)	2.54 x N

& N = 2 ~ 40



P. C. board hole dimensions

25403H-N Series

Dual Row Crimp Connector Housing

- 4 ~ 80 circuits available
- Material: UL 94V-0 +15%GF
- Standard color: Black
- Accepts 25402T series terminals
- Mates with: 25410WM, 25410WF series headers

Ordering Information

Part No.	Description	Note
25403H-N	Without lock	xx = 04 ~ 80
25403HP-N	With lock	xx = 06 ~ 80

Dimensional Information - in (mm)

Circuits	Dim. A	Dim. B	Circuits	Dim. A	Dim. B	Circuits	Dim. A	Dim. B
4	0.100 (2.54)	0.200 (5.08)	30	1.400 (35.56)	1.500 (38.10)	56	2.700 (68.58)	2.800 (71.12)
6	0.200 (5.08)	0.300 (7.62)	32	1.500 (38.10)	1.600 (40.64)	58	2.800 (71.12)	2.900 (73.66)
8	0.300 (7.62)	0.400 (10.16)	34	1.600 (40.64)	1.700 (43.18)	60	2.900 (73.66)	3.000 (76.20)
10	0.400 (10.16)	0.500 (12.70)	36	1.700 (43.18)	1.800 (45.72)	62	3.000 (76.20)	3.100 (78.74)
12	0.500 (12.70)	0.600 (15.24)	38	1.800 (45.72)	1.900 (48.26)	64	3.100 (78.74)	3.200 (81.28)
14	0.600 (15.24)	0.700 (17.78)	40	1.900 (48.26)	2.000 (50.80)	66	3.200 (81.28)	3.300 (83.82)
16	0.700 (17.78)	0.800 (20.32)	42	2.000 (50.80)	2.100 (53.34)	68	3.300 (83.82)	3.400 (86.36)
18	0.800 (20.32)	0.900 (22.86)	44	2.100 (53.34)	2.200 (55.88)	70	3.400 (86.36)	3.500 (88.90)
20	0.900 (22.86)	1.000 (25.40)	46	2.200 (55.88)	2.300 (58.42)	72	3.500 (88.90)	3.600 (91.44)
22	1.000 (25.40)	1.100 (27.94)	48	2.300 (58.42)	2.400 (60.96)	74	3.600 (91.44)	3.700 (93.98)
24	1.100 (27.94)	1.200 (30.48)	50	2.400 (60.96)	2.500 (63.50)	76	3.700 (93.98)	3.800 (96.52)
26	1.200 (30.48)	1.300 (33.02)	52	2.500 (63.50)	2.600 (66.04)	78	3.800 (96.52)	3.900 (99.06)
28	1.300 (33.02)	1.400 (35.56)	54	2.600 (66.04)	2.700 (68.58)	80	3.900 (99.06)	4.000 (101.60)

